



STONE
GATE



Our family's journey in the marble and granite industry began in 1967 with the vision of our grandfather and fathers. Over the years, this legacy has grown into The African Eagle, a market leader renowned for its unwavering commitment to quality and craftsmanship.



01

MARBLE



Emperial Bronze



TEST	RESULT
Abrasion Resistance Ha [ASTM C241/C1353]	38.8 Ha
Modulus of rupture Psi [ASTM C 99]	1900 psi
Compressive strength	19 800 psi
Flexural Strength	1900 psi
Water absorption	0.89%

Available Finishes (Honed - Polished - Brushed - Sandblasted - Tumbled - Acid)

Royal Grey



TEST	RESULT
Abrasion Resistance Ha [ASTM C241/C1353]	33.9 Ha
Modulus of rupture Psi [ASTM C 99]	2 400 psi
Compressive strength	20 200 psi
Flexural Strength	2 300 psi
Water absorption	0.05%

Available Finishes (Honed - Polished - Brushed - Sandblasted - Tumbled - Acid)

MARBLE

SINAI PEARL (Beige)



TEST	RESULT
Abrasion Resistance Ha [ASTM C241/C1353]	38.8 Ha
Modulus of rupture Psi [ASTM C 99]	1900 psi
Compressive strength	19 800 psi
Flexural Strength	1900 psi
Water absorption	0.89%

Available Finishes (Honed - Polished - Brushed - Sandblasted - Tumbled - Acid)

MARBLE

BEIGE ATON



TEST	RESULT
Abrasion Resistance Ha [ASTM C241/C1353]	26.7 Ha
Modulus of rupture Psi [ASTM C 99]	1 400 psi
Compressive strength	10 400 psi
Flexural Strength	1 000 psi
Water absorption	1.62%
Available Finishes (Honed - Polished - Brushed - Sandblasted - Tumbled - Acid)	

MARBLE

Galala Extra



TEST	RESULT
Abrasion Resistance Ha [ASTM C241/1353]	31.6 Ha
Modulus of rupture Psi [ASTM C 99]	1 800 psi
Compressive strength	18 300 psi
Flexural Strength	1 300 psi
Available Finishes (Honed - Polished - Brushed - Sandblasted - Tumbled - Acid)	

MARBLE

Egy Cecilia



TEST	RESULT
Abrasion Resistance Ha [ASTM C241/C1353]	26.7 Ha
Modulus of rupture Psi [ASTM C 99]	1 400 psi
Compressive strength	10 400 psi
Flexural Strength	1 000 psi
Water absorption	1.62%

Available Finishes (Honed - Polished - Brushed - Sandblasted - Tumbled - Acid)

MARBLE

Sinai Grey



TEST	RESULT
Abrasion Resistance Ha [ASTM C241/1353]	33.9 Ha
Modulus of rupture Psi [ASTM C 99]	2 400 psi
Compressive strength	20 200 psi
Flexural Strength	2 300 psi
Available Finishes (Honed - Polished - Brushed - Sandblasted - Tumbled - Acid)	

MARBLE

SPLIT FACE



SUNNY



SINAI PEARL



Galala



ROYAL GREY



ROYAL CREAM



ROYAL GOLDEN

MARBLE

The image features three rectangular blocks of granite arranged in a row on a dark, textured background. The block on the left is dark grey with a fine, speckled texture. The middle block is a medium grey with a more pronounced, crystalline texture. The block on the right is a brownish-grey with a coarse, granular texture. A large, semi-transparent brown number '102' is overlaid on the left side of the image, partially covering the first two blocks. A solid brown vertical bar is positioned to the left of the number.

102

GRANITE

Verdi Green



Red Aswan




Halayeb



GRANITE

Black Aswan



Forsan




Gandolla



GRANITE

New Halayeb




Verdi Yellow



Fantastic



Company
Gray



GRANITE



OFFICE: 119 Karnak Tower, Maadi, Nile Corniche



SHOWROOM: 1st factory: Industrial zone,
Shaq el Thoban, Maadi, Cairo, Egypt

FACTORY: 2nd factory: Industrial zone,
Arab Abo-Saeed, Helwan, Cairo, Egypt

TELEPHONE: ☎ +20 102 006 7611
☎ +02 244 712 27

MAIL INFO: info@africaneagle.co

WEBSITE: www.africaneagle.co

  /africaneaglemarble



Power spreads its wings for those who deserve it, while death spreads
its wings for every coward

STONE GATE

www.africaneagle.co